COUNTY OF SACRAMENTO
ENVIRONMENTAL MANAGEMENT DEPARTMENT
HAZARDOUS MATERIALS DIVISION

HAZARDOUS MATERIALS INCIDENT REPORT

Supv Dist #____ Report Number 12039

X EMERGENCY [ ] COMPLAINT [ ] PROP 65 (H & S CODE 25180.7) [ ] UST UNAUTHORIZED RELEASE REPORT [ ] DISCHARGE REPORT

DATE OF REPORT 11/18/97 DATE OF INCIDENT 11/6/97 RECEIVED BY MM ASSIGNED TO MM DATE ASSIGNED 11/6/97

SITE LOCATION

Facility Name Lucky Supermarket Address 7707 LAGUNA BLVD City Elk Grove Zip Code 95758 Cross Street Bruceville Rd

ALLEGED RESPONSIBLE PARTY

Name UNKNOWN Address ____ City ____ Zip Code ____ Phone ( ) ____

REPORTED BY

[redacted]

HAZARDOUS MATERIAL

Chemical Common Name: Flea Spray Quantity Lost: Approx 1 [redacted] 02 [ ] Unknown Physical State: [ ] Solid [X] Liquid [ ] Gas Aerosol

Hazard: [X] Toxic [ ] Corrosive [ ] Flammable [ ] Reactive [ ] Radioactive [ ] Combustible [ ] Irritant [ ] Explosive

INCIDENT TYPE

[ ] Facility Accident [ ] Intentional Release [ ] Abandoned Containers [ ] Vehicular Accident [ ] Threatened Release [ ] Leaking UST [X] Other MOST likely released by a customer in the store

HEALTH AREA OR ENVIRONMENT AFFECTED

[ ] Public Health [X] Air [ ] Groundwater [ ] Sewer [ ] Workplace Health [ ] Surface Water [ ] Storm Drain [ ] Soil [ ] Roadway [ ] Undetermined

12/18/97 10 16225

CONTROL MEASURES

[X] Evacuation [ ] Public Warning [ ] Abated [ ] Media Contacted [ ] Access Restricted [ ] Medical Attention [ ] Containment [ ] No Action Taken

NOTIFICATION TO DATE 11/6/97

[ ] DHS [ ] Fish & Game [ ] CHP [ ] OSHA [ ] RWQCB [ ] Caltrans [ ] Environmental Hlth [ ] AQMD [X] Fire [X] Zoning [X] Sheriff [ ] Public Works [ ] Other ____

COMPLAINTS/COMMENTS IRRITANT RELEASED IN SUPERMARKET

ACTION TAKEN 11/6/97. Responded to call. Sac City HazMAT determined that the irritant that was released was from an open box of Flea Fogger. One can was less full than other cans. There were also open boxes of Flea Collars. 3 employees were effected by the spray w/ th coughing. One customer was effected but refused Medical Treatment. She said she would go to the hospital herself. Approx 1-3oz may have been released. Store was allowed to reopen.

Considering the material involved, quantity and concentration, duration and likely routes of exposure is substantial injury to the public likely? [ ] Yes [X] No H & Safety Code 25180.7 Evaluation

Maura Dimbelt — Evaluator's Signature — 11/6/97 — Date

WHITE - Processing Copy YELLOW - Counter Copy Pink - File Copy GOLDENROD - Business Site Folder Copy

W:\DATA\FORMS\INCIDENT.FOR

15911